

Werkstoff Ms, Pressmessing




DN* mm	D min.-max. mm	Abmessung H x B x L mm	Anzahl Schrauben + Muttern	Bestell-Nr.	€ Stück
13 x 5	22- 44	54 x 57 x 65	4 x M6 x 20	15 6287 8533	
13 x 6	24- 26	54 x 57 x 65	4 x M6 x 20	15 6287 8543	
13 x 7	26- 28	54 x 57 x 65	4 x M6 x 20	15 6287 8553	
19 x 6	30- 33	67 x 70 x 65	4 x M8 x 25	15 6287 8573	
19 x 7	32- 44	70 x 73 x 65	4 x M8 x 25	15 6287 8583	
25 x 6,5	37- 39	76 x 79 x 65	4 x M8 x 25	15 6287 8603	
25 x 7,5	39- 41	80 x 83 x 65	4 x M8 x 25	15 6287 8613	
25 x 8,5	41- 43	80 x 83 x 65	4 x M8 x 25	15 6287 8633	
32 x 6	43- 46	86 x 89 x 77	4 x M8 x 25	15 6287 8653	
32 x 8	47- 50	88 x 90 x 77	4 x M8 x 25	15 6287 8673	
38 x 8	53- 56	102 x 107 x 90	4 x M10 x 40	15 6287 8723	
50 x 9	67- 69	113 x 117 x 100	4 x M10 x 40	15 6287 8803	
50 x 10	69- 71	116 x 121 x 100	4 x M10 x 40	15 6287 8823	
100 x 8	114-119	164 x 167 x 120	4 x M10 x 40	15 6287 8973	

* DN: Schlauchinnendurchmesser x Wanddicke


Gewindedichtungen GD

Eigenschaften:

- Für flachdichtende Gewinde



① Gewindedichtung flach



② Gewindedichtung abgerundet

Werkstoff No, Novapress



Abb.	Größe Zoll	Abmessung D x d x s mm	Bestell-Nr.	€ Stück
①	G 1/2	20 x 13 x 2	15 6287 7900	
①	G 3/4	26 x 19 x 2	15 6287 7920	
①	G 1	33 x 24 x 2	15 6287 7940	
①	G 1 1/4	42 x 33 x 2	15 6287 7960	
①	G 1 1/2	48 x 39 x 5	15 6287 7980	
①	G 2	60 x 49 x 2	15 6287 8000	

Werkstoff Vu, Vulkollan/Polyurethan



Abb.	Größe Zoll	Abmessung D x d x s mm	Bestell-Nr.	€ Stück
①	G 1/2	20 x 13 x 2	15 6287 7901	
①	G 3/4	26 x 19 x 2	15 6287 7921	
①	G 1	33 x 24 x 2	15 6287 7941	
①	G 1 1/4	42 x 33 x 2	15 6287 7961	
①	G 1 1/2	48 x 39 x 5	15 6287 7981	
①	G 2	60 x 49 x 2	15 6287 8001	
①	G 2 1/2	78 x 63 x 2,5	15 6287 8021	
①	G 3	88 x 77 x 3	15 6287 8041	
①	G 4	114 x 100 x 3	15 6287 8061	
①	5 1/2 DIN 11	140 x 102 x 3	15 6287 8081	

Werkstoff Vi/FEP

Abb.	Größe Zoll	Abmessung D x d x s mm	Bestell-Nr.	€ Stück
①	G 1/2	20 x 13 x 2	15 6287 7902	
②	Rd. 34 x 1/8	26 x 18 x 4,5	15 6287 7912	
①	G 3/4	26 x 19 x 2	15 6287 7922	
②	Rd. 44 x 1/6	33 x 23 x 4,5	15 6287 7932	
①	G 1	33 x 24 x 2	15 6287 7942	
②	Rd. 52 x 1/6	40 x 30 x 5	15 6287 7952	
①	G 1 1/4	42 x 33 x 2	15 6287 7962	
②	Rd. 58 x 1/6	46 x 36 x 5	15 6287 7972	
①	G 1 1/2	48 x 39 x 5	15 6287 7982	
②	Rd. 65 x 1/6	52 x 42 x 5	15 6287 7992	
①	G 2	60 x 49 x 2	15 6287 8002	
②	Rd. 78 x 1/6	64 x 54 x 5	15 6287 8012	
①	G 2 1/2	78 x 63 x 2,5	15 6287 8022	
①	G 3	88 x 77 x 3	15 6287 8042	
①	G 4	114 x 100 x 3	15 6287 8062	
①	51/2DIN 11	140 x 102 x 3	15 6287 8082	



Werkstoff Te, Teflon/PTFE

Abb.	Größe Zoll	Abmessung D x d x s mm	Bestell-Nr.	€ Stück
①	G 1/2	20 x 13 x 2	15 6287 7903	
②	Rd. 34 x 1/8	26 x 18 x 4,5	15 6287 7913	
①	G 3/4	26 x 19 x 2	15 6287 7923	
②	Rd. 44 x 1/6	33 x 23 x 4,5	15 6287 7933	
①	G 1	33 x 24 x 2	15 6287 7943	
②	Rd. 52 x 1/6	40 x 30 x 5	15 6287 7953	
①	G 1 1/4	42 x 33 x 2	15 6287 7963	
②	Rd. 58 x 1/6	46 x 36 x 5	15 6287 7973	
①	G 1 1/2	48 x 39 x 5	15 6287 7983	
②	Rd. 65 x 1/6	52 x 42 x 5	15 6287 7993	
①	G 2	60 x 49 x 2	15 6287 8003	
②	Rd. 78 x 1/6	64 x 54 x 5	15 6287 8013	
①	G 2 1/2	78 x 63 x 2,5	15 6287 8023	
②	Rd. 95 x 1 1/6	81 x 71 x 3	15 6287 9498	
①	G 3	88 x 77 x 3	15 6287 8043	
②	Rd. 110 x 1/4	95 x 85 x 5	15 6287 9499	
①	G 4	114 x 100 x 3	15 6287 8063	
②	Rd. 130 x 1/4	114 x 104 x 6	15 6287 9500	
①	51/2DIN 11	140 x 102 x 3	15 6287 8083	



Werkstoff Pe, Perbunan

Abb.	Größe Zoll	Abmessung D x d x s mm	Bestell-Nr.	€ Stück
②	Rd. 34 x 1/8	26 x 18 x 4,5	15 6287 7914	
②	Rd. 44 x 1/6	33 x 23 x 4,5	15 6287 7934	
②	Rd. 52 x 1/6	40 x 30 x 5	15 6287 7954	
①	Rd. 58 x 1/6	46 x 36 x 5	15 6287 7974	
②	Rd. 65 x 1/6	52 x 42 x 5	15 6287 7994	
②	Rd. 78 x 1/6	64 x 54 x 5	15 6287 8014	
②	Rd. 95 x 1/6	81 x 71 x 5	15 6287 8034	
②	Rd. 110 x 1/4	95 x 85 x 5	15 6287 8054	
②	Rd. 130 x 1/4	114 x 104 x 6	15 6287 8075	



Werkstoff Ep, EPDM


Abb.	Größe Zoll	Abmessung D x d x s mm	Bestell-Nr.	€ Stück
①	G 2	60 x 49 x 2	15 6287 8005	
①	G 3	88 x 77 x 3	15 6287 8045	
①	G 4	114 x 100 x 3	15 6287 8065	



Schlauchverbinder SVL

Eigenschaften:

- Beiderseits mit Pressaluschale



Werkstoff SS, Edelstahl 1.4571

DN* mm	Gesamtlänge mm	Bestell-Nr.	€ Stück
13 x 5	105	15 6287 9522	
19 x 6	105	15 6287 9524	
25 x 6	105	15 6287 8096	
32 x 6	105	15 6287 8098	
38 x 6,5	105	15 6287 8100	
40 x 7	105	15 6287 9529	
50 x 8	115	15 6287 8102	

DN* mm	Gesamtlänge mm	Bestell-Nr.	€ Stück
63 x 8	155	15 6287 9535	
75 x 8	160	15 6287 8104	
80 x 8	160	15 6287 9540	
100 x 8	245	15 6287 8106	
125 x 10	300	15 6287 9543	
150 x 10	375	15 6287 9545	
200 x 12	500	15 6287 9547	

* DN: Schlauchinnendurchmesser x Wanddicke



Werkstoff St, Stahl

DN* mm	Gesamtlänge mm	Bestell-Nr.	€ Stück
50 x 8	115	15 6287 9532	
63 x 8	155	15 6287 9534	
75 x 8	160	15 6287 9537	
80 x 8	160	15 6287 9539	

DN* mm	Gesamtlänge mm	Bestell-Nr.	€ Stück
100 x 8	245	15 6287 9541	
125 x 10	300	15 6287 9542	
150 x 10	375	15 6287 9544	
200 x 12	500	15 6287 9546	

* DN: Schlauchinnendurchmesser x Wanddicke



Werkstoff Ms, Messing

DN* mm	Gesamtlänge mm	Bestell-Nr.	€ Stück
13 x 5	105	15 6287 9523	
19 x 6	105	15 6287 9525	
25 x 6	105	15 6287 9526	
32 x 6	105	15 6287 9527	
38 x 6,5	105	15 6287 9528	

DN* mm	Gesamtlänge mm	Bestell-Nr.	€ Stück
40 x 7	105	15 6287 9530	
45 x 7	115	15 6287 9531	
50 x 8	115	15 6287 9533	
65 x 7	155	15 6287 9536	
75 x 8	160	15 6287 9538	

* DN: Schlauchinnendurchmesser x Wanddicke



Schlauchverbinder SVR

Eigenschaften:

- Beiderseits eingedrehte Rillen zum Einband mit Schellen

